



## ESTA Track Lighting (Integrated)



Product Code:

**F27900TA**

Electrical Data	
Voltage (V)	220-240V
Product Data	
Product Wattage (W)	15
Beam Angle (°)	8, 24, 45
Rotating Angle (°)	330
Tilting Angle (°)	±90
Colour Temperature (K)	Warmwhite (2800K), Coolwhite (4000K)
Colour Render Index (Ra)	Ra82 [2800K], Ra85 [4000K]
Colour	Black (BK12), White (WH12)
Materials	Aluminium housing with diffuser
Protection Class	Class II
Dimmable	No
Application	Homes, Galleries and Museums, Hotels, Restaurants, Shops and Boutiques
Performance Data	
Max. Luminous Intensity (cd)	20000 [8°], 5000 [24°], 2000 [45°]
Luminous Flux (lm)	950
Luminous Efficacy (lm/W)	63
Rated Life (hrs)	25000
IP Rating	IP20
Product Dimensions	
Diameter (mm)	111
Height (mm)	171


Product Code: F27900TA

MEGAMAN® 2005-2019. All Rights Reserved.

This document is for informational purpose only.


MEGAMAN® reserves the right to make changes from time to time in the interest of product developments without prior notification to any products herein.

[www.cn.megaman.cc](http://www.cn.megaman.cc)



m	Lux	Ø cm
0.5	80000	41
1	20000	83
1.5	8889	124
2	5000	166
Beam angle = 8°		

F27900TK-24°



m	Lux	Ø cm
0.5	20000	21
1	5000	43
1.5	2222	64
2	1250	85
Beam angle = 24°		

F27900TK-45°


Product Code: F27900TA

MEGAMAN® 2005-2019. All Rights Reserved.

This document is for informational purpose only.

MEGAMAN® reserves the right to make changes from time to time in the interest of product developments without prior notification to any products herein.

[www.cn.megaman.cc](http://www.cn.megaman.cc)



Product Code: F27900TA

MEGAMAN® 2005-2019. All Rights Reserved.

This document is for informational purpose only.

MEGAMAN® reserves the right to make changes from time to time in the interest of product developments without prior notification to any products herein.

[www.cn.megaman.cc](http://www.cn.megaman.cc)