

# MEGAMAN® LUSTER-LED



MEGAMAN® LUSTER-LED is designed as an alternative to an HID high bay with a huge reduction in power consumption. It offers an excellent luminous output of up to 11000lm with an efficacy of 100lm/W and a far longer service life than traditional equivalents – eliminating any worries over energy and maintenance costs.

MEGAMAN® LUSTER-LED has an integrated LED version with built-in driver, it offers instant and high-quality light that is ideal for use in large indoor areas. It provides a high but comfortable level of illumination in the vertical and horizontal planes – ideal for high-ceilings, halls, warehouses, manufacturing bays, trade fairs and exhibitions. Aluminium housing and acrylic diffuser options are available for use in a variety of environments and applications.

#### Features



- Aluminium housing with built-in driver
- Two versions available:
  - Standard E27 screw base (for MEGAMAN® LED CLUSTERLITE®)
  - LED chip-on-board with integrated driver
- All the energy saving benefits of LED lighting
- Instant high-quality light
- Longer service life time
- 11,000lm output at 100lm per system watt
- Designed as alternative to 150W and 250W metal halide
- Huge reduction in power consumption at only 110W maximum
- Ideal for use in high-ceilings, halls, warehouses, manufacturing bays, trade fairs and exhibitions

#### Applications


- High-ceilings
- Halls
- Warehouses
- Manufacturing bays
- Trade fairs
- Exhibitions

# MEGAMAN® LUSTER-LED



F52000SU




F53200SU







F52100SU



F52400SU



 Silver (SV26)


Model No.	Voltage (V)	Wattage (W)	Luminous Flux (lm)	Luminous Efficacy (lm/W)	Dimension (mm)	Max. Luminous Intensity (cd) [Beam Angle]	Colour Temp. [CRI]	Rated Life (hrs)	Materials	Weight (g)
 F52000SU*	220-240	65	7200	111	Ø318 x H335	8500 [60°]	4000K [>Ra80]	50000	Aluminium housing and plastic reflector	TBA
 F53200SU*	220-240	65	7200	111	Ø240 x H275	6200 [60°] 4500 [90°]	4000K [>Ra80]	50000	Aluminium housing and reflector	TBA
 F52100SU*	220-240	110	11000	100	Ø318 x H355	12000 [60°]	4000K [>Ra80]	50000	Aluminium housing and plastic reflector	TBA
 F52400SU*	220-240	110	11000	100	Ø240 x H295	9500 [60°] 6500 [90°]	4000K [>Ra80]	50000	Aluminium housing and reflector	TBA

# MEGAMAN® LUSTER-LED

F11301SU




IP20 Class II



White (WH12) Silver (SV13) Black (BK12)

Model No.	Max. Wattage (W)	Dimension (mm)	Light Source	Lamp Base	Materials	Weight (g)
F11301SU	35	Ø310 x H350	LED CLUSTERLITE®	E27	Polycarbonate	1100



Please refer to page 151 for more light source information